AUTHOR INDEX

Abidor, I.G., see Chernomordik, L.V. (902) 360

Alonso, A., Urbaneja, M.-A., Goñi, F.M., Carmona, F.G., Cánovas, F.G. and Gómez-Fernández, J.C.
Kinetic studies on the interaction of phosphatidylcholine liposomes with Triton X-100 (902) 237

Andersen, V. and Munck, B.G.
Transport of the α-amino-mono-carboxylic acid L-alanine by the β-alanine carrier of the rabbit ileum (902) 145

Au, S., Weiner, N.D. and Schacht, J.
Aminoglycoside antibiotics preferentially increase permeability in phosphoinositide-containing membranes: a study with carboxyfluorescein in liposomes (902) 80

Bajpai, V.K., see Chandra, R. (902) 253

Barber, K.R., Mehlhorn, I.E. and Grant, C.W.M.
Double label freeze-etch study of the relative topography of concanavalin A and wheat germ agglutinin receptors at the myoblast surface (902) 395

Barber, K.R., see Grant, C.W.M. (902) 169

Barber, R.F., see Shek, P.N. (902) 229

Barstad, A.W., see Smejtek, P. (902) 109

Bassi, P., see Landi, L. (902) 200

Belde, P.J.M., see Van der Pal, R.H.M. (902) 19

Bennett, K., see Wagner, E.S. (902) 133

Borst-Pauwels, G.W.F.H., see Van der Pal, R.H.M. (902) 19

Brdiczka, D., see Denis-Pouxviel, C. (902) 335

Brown, G.R., Richardson, A.E. and Dormer, R.L.
The role of a (Ca^{2+} + Mg^{2+})-ATPase of the rough endoplasmic reticulum in regulating intracellular Ca^{2+} during cholinergic stimulation of rat pancreatic acini (902) 87

Bühler, C., see Denis-Pouxviel, C. (902) 335

Burke, T.G., see Rudolph, A.S. (902) 349

Cabrini, L., see Landi, L. (902) 200

Cánovas, F.G., see Alonso, A. (902) 237

Cárdenas, J., see Córdoba, F. (902) 287

Carmona, F.G., see Alonso, A. (902) 237

Carter, P., see Harrison, D. (902) 301

Chandra, R., Joshi, P.C., Bajpai, V.K. and Gupta, C.M.
Membrane phospholipid organization in calcium-loaded human erythrocytes (902) 253

Chen, Y.-d.
Free energy transduction in membrane transport systems induced by externally imposed fluctuations in ligand concentrations (902) 307

Chernomordik, L.V., Sukharev, S.I., Popov, S.V., Pastushenko, V.F., Sokirko, A.V., Abidor, I.G. and Chizmadzhev, Y.A.
The electrical breakdown of cell and lipid membranes: the similarity of phenomenologies (902) 360

Chizmadzhev, Y.A., see Chernomordik, L.V. (902) 360

Conti, J., Halladay, H.N. and Petersheim, M.
An ionotropic phase transition in phosphatidylcholine: cation and anion cooperativity (902) 53

Contractor, S.F., see Naoum, H.G. (902) 193

Córdoba, F., Cárdenas, J. and Fernández, E.
Cooperative regulation by ammonium and ammonium derivatives of nitrite uptake in *Chlamydomonas reinhardtii* (902) 287

Coyaud, L., Kurkdjian, A., Kado, R. and Hedrich, R.
Ion channels and ATP-driven pumps involved in ion transport across the tonoplast of sugarbeet vacuoles (902) 263

De Chazal, R.C.S., see Naoum, H.G. (902) 193

De Kruijff, B., see Pilon, M. (902) 207

Demel, R.A., see Pilon, M. (902) 207

Denis-Pouxviel, C., Riesinger, I., Bühler, C., Brdiczka, D. and Murat, J.-C.
Regulation of mitochondrial hexokinase in cultured HT 29 human cancer cells. An ultrastructural and biochemical study (902) 335

DeSimone, J.A., see Persaud, K.C. (902) 65

Dormer, R.L., see Brown, G.R. (902) 87

Dunn, F., see Ma, L.D. (902) 183

Eaton, B.M., see Naoum, H.G. (902) 193

Escudero, B. and Gutiérrez-Merino, C.
Effects of local anesthetics on the passive permeability of sarcoplasmic reticulum vesicles to Ca^{2+} and Mg^{2+} (902) 374

Fernández, E., see Córdoba, F. (902) 287

Flanagan, J.E., see Shibata, Y. (902) 154

Florio, E., see Grant, C.W.M. (902) 169

Freysz, L., see Pelletier, X. (902) 223

Furois-Corbin, S. and Pullman, A.
Theoretical study of the packing of α-helices into possible transmembrane bundles. Sequences including alanines, leucines and serines (902) 31

Garrahan, P.J., see Rossi, J.P.F.C. (902) 101

Getchell, M.L., see Persaud, K.C. (902) 65

Getchell, T.V., see Persaud, K.C. (902) 65

Giffin, B., see Keough, K.M.W. (902) 1

Gómez-Fernández, J.C., see Alonso, A. (902) 237

Goñi, F.M., see Alonso, A. (902) 237

Gorka, C., see Schroeder, F. (902) 385

Grant, C.W.M., Mehlhorn, I.E., Florio, E. and Barber, K.R.
A long chain spin label for glycosphingolipid studies: trans-

bilayer fatty acid interdigitation of lactosyl ceramide (902) 169
Grant, C.W.M., see Barber, K.R. (902) 395
Grygorczyk, R.
Temperature dependence of Ca^{2+}-activated K^+ currents in the membrane of human erythrocytes (902) 159
Güldütuna, S., Zimmer, G., Kurtz, W. and Leuschner, U.
Prostaglandin E_2 directly protects isolated rat gastric surface cell membranes against bile salts (902) 217
Gupta, C.M., see Chandra, R. (902) 253
Gutiérrez-Merino, C., see Escudero, B. (902) 374

Halladay, H.N., see Conti, J. (902) 53
Harrison, D., Joshi, S., Carter, P. and Welbourne, T.C.
Renal brush border glutamine transport: comparison between in situ and isolate membrane vesicle uptake (902) 301
Hashida, M., see Mizuno, M. (902) 93
Heck, G.L., see Persaud, K.C. (902) 65
Hedrich, R., see Coyaud, L. (902) 263
Holman, G.D., see Karim, A.R. (902) 402
Holmes, R.K., see Hu, V.W. (902) 24
Hsu, K., see Smejtek, P. (902) 109
Hu, V.W. and Holmes, R.K.
Single mutation in the A domain of diphtheria toxin results in a protein with altered membrane insertion behavior (902) 24

Israeli, A., Leitersdorf, E., Stein, O. and Stein, Y.
Preferential binding of [^{3}H]cholesteryl linoleyl ether-HDL_3 by bovine adrenal membranes (902) 128

Jennings, M., see Wagner, E.S. (902) 133
Jing, N., see Urry, D.W. (902) 137
Jordi, W., see Pilon, M. (902) 207
Joshi, P.C., see Chandra, R. (902) 253
Joshi, S., see Harrison, D. (902) 301

Kado, R., see Coyaud, L. (902) 263
Kariel, N., see Keough, K.M.W. (902) 1
Kariel, N., see Keough, K.M.W. (902) 11
Karim, A.R., Rees, W.D. and Holman, G.D.
Binding of cytochalasin B to trypsin and thermolysin fragments of the human erythrocyte hexose transporter (902) 402
Keough, K.M.W. and Kariel, N.
Differential scanning calorimetric studies of aqueous dispersions of phosphatidylcholines containing two polyenoic chains (902) 11
Keough, K.M.W., Giffin, B. and Kariel, N.
The influence of unsaturation on the phase transition temperatures of a series of heteroacid phosphatidylcholines containing twenty-carbon chains (902) 1
Kono, T., see Shibata, Y. (902) 154
Kurkdjian, A., see Coyaud, L. (902) 263
Kurtz, W., see Güldütuna, S. (902) 217

Landi, L., Pasquali, P., Bassi, P. and Cabrini, L.
Effect of oxygen free radicals on ubiquinone in aqueous solution and phospholipid vesicles (902) 200
Leitersdorf, E., see Israeli, A. (902) 128
Leray, C., see Pelletier, X. (902) 223
Leuschner, U., see Güldütuna, S. (902) 217
Levy, R., Nathan, I. and Shany, S.
1,25-Dihydroxyvitamin D-3 alters membrane phospholipid composition and enhances calcium efflux in HL-60 cells (902) 178

Ma, L.D., Magin, R.L. and Dunn, F.
Effects of divalent cations on the ultrasonic absorption coefficient of negatively charged liposomes (LUV) near their phase transition temperature (902) 183
Magin, R.L., see Ma, L.D. (902) 183
Malström, K., Stange, G. and Murer, H.
Identification of proximal tubular transport functions in the established kidney cell line, OK (902) 269
Mason, R.J., see Sano, K. (902) 317
Mehlhorn, I.E., see Barber, K.R. (902) 395
Mehlhorn, I.E., see Grant, C.W.M. (902) 169
Mersel, M., see Pelletier, X. (902) 223
Mizuno, M., Yoshino, H., Hashida, M. and Sezaki, H.
Decreased transport of D-glucose and L-alanine across brush-border membrane vesicles from small intestine of rats treated with mitomycin C (902) 93
Mohri, T., see Ohyashiki, T. (902) 46
Munck, B.G., see Andersen, V. (902) 145
Murat, J.-C., see Denis-Pouxviel, C. (902) 335
Murer, H., see Malström, K. (902) 269

Naoum, H.G., De Chazal, R.C.S., Eaton, B.M. and Contractor, S.F.
Characterization and specificity of lipoprotein binding to term human placental membranes (902) 193
Nathan, I., see Levy, R. (902) 178

Ohta, A., see Ohyashiki, T. (902) 46
Ohyashiki, T., Ohta, A. and Mohri, T.
Ca^{2+}-dependent ATP hydrolysis of the porcine intestinal brush-border membranes (902) 46

Pangburn, M.K. and Walter, H.
Specific deposition of complement protein C3b on abnormal PNH erythrocytes permits their separation by partitioning. Possible general approach for isolation of specific cell populations (902) 278
Pasquali, P., see Landi, L. (902) 200
Pastushenko, V.F., see Chernomordik, L.V. (902) 360
Pelletier, X., Mersel, M., Freysz, L. and Leray, C.
Topological distribution of aminophospholipid fatty acids in trout intestinal brush-border membrane (902) 223
Persaud, K.C., DeSimone, J.A., Getchell, M.L., Heck, G.L. and Getchell, T.V.
Ion transport across the frog olfactory mucosa: the basal and odorant-stimulated states (902) 65
Peters, P.H.J., see Van der Pal, R.H.M. (902) 19
Petersheim, M., see Conti, J. (902) 53
Pilon, M., Jordi, W., De Kruijff, B. and Demel, R.A.
Interactions of mitochondrial precursor protein apocytochrome *c* with phosphatidylserine in model membranes. A monolayer study (902) 207

Popov, S.V., see Chernomordik, L.V. (902) 360
Prasad, K.U., see Urry, D.W. (902) 137
Pullman, A., see Furois-Corbin, S. (902) 31

Rees, W.D., see Karim, A.R. (902) 402
Rega, A.F., see Rossi, J.P.F.C. (902) 101
Richardson, A.E., see Brown, G.R. (902) 87
Riesinger, I., see Denis-Pouxviel, C. (902) 335
Robert, J., see Vrignaud, P. (902) 149
Roberts, G.A. and Tombs, M.P.
Preparation of fluorescent derivatives of lipases and their use in fluorescence energy transfer studies in hydrocarbon/water interfaces (902) 327
Robinson, F.W., see Shibata, Y. (902) 154
Rossi, J.P.F.C., Garrahan, P.J. and Rega, A.F.
Differential effects of compound 48/80 on the ATPase and phosphatase activities of the Ca^{2+} pump of red cells (902) 101
Rudolph, A.S. and Burke, T.G.
A Fourier-transform infrared spectroscopic study of the polymorphic phase behavior of 1,2-bis(tricosa-10,12-diynoyl)-*sn*-glycero-3-phosphocholine; a polymerizable lipid which forms novel microstructures (902) 349

Sano, K., Voelker, D.R. and Mason, R.J.
Tetradecanoylphorbol acetate and terbutaline stimulate surfactant secretion in alveolar type II cells without changing the membrane potential (902) 317
Schacht, J., see Au, S. (902) 80
Schroeder, F., Gorka, C., Williamson, L.S. and Wood, W.G.
The influence of dolichols on fluidity of mouse synaptic plasma membranes (902) 385
Senden, M.H.M.N., see Verbost, P.M. (902) 247
Sezaki, H., see Mizuno, M. (902) 93
Shany, S., see Levy, R. (902) 178
Shek, P.N. and Barber, R.F.
Liposomes are effective carriers for the ocular delivery of prophylactics (902) 229
Shibata, Y., Flanagan, J.E., Smith, M.M., Robinson, F.W. and Kono, T.
Sedimentation characteristics of vesicles associated with insulin-sensitive intracellular glucose transporter from rat adipocytes (902) 154
Smejtek, P., Barstad, A.W. and Hsu, K.
Dielectric properties of adsorption/ionization site of pentachlorophenol in lipid membranes (902) 109
Smith, M.M., see Shibata, Y. (902) 154
Sokirko, A.V., see Chernomordik, L.V. (902) 360
Stange, G., see Malström, K. (902) 269
Stein, O., see Israeli, A. (902) 128
Stein, Y., see Israeli, A. (902) 128
Stewart, C.P. and Turnberg, L.A.
Glucose depolarizes villous but not crypt cell apical membrane potential difference: a micropuncture study of crypt–villus heterogeneity in the rat (902) 293
Sukharev, S.I., see Chernomordik, L.V. (902) 360

Theuvenet, A.P.R., see Van der Pal, R.H.M. (902) 19
Tombs, M.P., see Roberts, G.A. (902) 327
Turnberg, L.A., see Stewart, C.P. (902) 293

Urbaneja, M.-A., see Alonso, A. (902) 237
Urry, D.W., Jing, N. and Prasad, K.U.
On the mechanism of channel-length dependence of gramicidin single-channel conductance (902) 137

Van der Pal, R.H.M., Belde, P.J.M., Theuvenet, A.P.R., Peters, P.H.J. and Borst-Pauwels, G.W.F.H.
Effect of ruthenium red upon Ca^{2+} and Mn^{2+} uptake in *Saccharomyces cerevisiae*. Comparison with the effect of La^{3+} (902) 19
Van Os, C.H., see Verbost, P.M. (902) 247
Verbost, P.M., Senden, M.H.M.N. and Van Os, C.H.
Nanomolar concentrations of Cd^{2+} inhibit Ca^{2+} transport systems in plasma membranes and intracellular Ca^{2+} stores in intestinal epithelium (902) 247
Voelker, D.R., see Sano, K. (902) 317
Vrignaud, P. and Robert, J.
Free fatty acid uptake is increased in doxorubicin-resistant rat glioblastoma cells (902) 149

Wagner, E.S., White, W., Jennings, M. and Bennett, K.
The entrapment of [^{14}C]ascorbic acid in human erythrocytes (902) 133
Walter, H., see Pangburn, M.K. (902) 278
Weiner, N.D., see Au, S. (902) 80
Welbourne, T.C., see Harrison, D. (902) 301
White, W., see Wagner, E.S. (902) 133
Williamson, L.S., see Schroeder, F. (902) 385
Wood, W.G., see Schroeder, F. (902) 385

Yoshino, H., see Mizuno, M. (902) 93

Zimmer, G., see Güldütuna, S. (902) 217